

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	10	(US-20050132031-\$ or US-20080235372-\$ or US-20050289065-\$ or US-20050283445-\$ or US-20040199793-\$). did. or (US-7426738-\$ or US-7315826-\$ or US-7024431-\$ or US-7292537-\$ or US-7076547-\$).did.	US-PGPUB; USPAT	OR	ON	2008/12/07 11:42
L3	10	I2 and aggregat\$4	US-PGPUB; USPAT	OR	ON	2008/12/07 11:42
L4	6	I2 and ((updat\$4 renew\$4 chang\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))	US-PGPUB; USPAT	OR	ON	2008/12/07 12:08
L5	6	I2 and ((replac\$4 updat\$4 renew\$4 chang\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))	US-PGPUB; USPAT	OR	ON	2008/12/07 12:08
L6	362	(measur\$4 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((replac\$4 updat\$4 renew\$4 chang\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))	US-PGPUB; USPAT	OR	ON	2008/12/07 12:49

L7	100	"709"/\$.ccls. and (measur\$5 with performanc\$4 with (parameter performanc \$4 server node device)) and ((id identification address) with aggregat\$4) and ((replac\$4 updat\$4 renew\$4 chang\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))	US-PGPUB; USPAT	OR	ON	2008/12/07 12:50
L8	87	"709"/\$.ccls. and (measur\$5 with performanc\$4 with (parameter performanc \$4 server node device)) and ((id identification address) with aggregat\$4) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp \$4 chang\$4 updat\$4))	US-PGPUB; USPAT	OR	ON	2008/12/07 13:08
L9	330	(measur\$5 with performanc\$4 with (parameter performanc \$4 server node device)) and ((id identification address) with aggregat\$4) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp \$4 chang\$4 updat\$4))	US-PGPUB; USPAT	OR	ON	2008/12/07 13:08

L10	68	"707"/\$.ccls. and (measur\$5 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4)) with (table list listing database))	US-PGPUB; USPAT	OR	ON	2008/12/07 13:09
L11	4	I8 not I7	US-PGPUB; USPAT	OR	ON	2008/12/07 13:11
L12	247	I9 not I7	US-PGPUB; USPAT	OR	ON	2008/12/07 13:12
L13	56	I10 not I7	US-PGPUB; USPAT	OR	ON	2008/12/07 13:13
L14	191	I9 not I7 not I10	US-PGPUB; USPAT	OR	ON	2008/12/07 13:18
L15	4062	(measur\$5 with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4)) with (table list listing database))	US-PGPUB; USPAT	OR	ON	2008/12/07 13:23
L16	252	("709"/\$ "707"/\$).ccls. and (measur\$5 with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp\$4 chang\$4 updat\$4)) with (table list listing database)) and ((delet\$4 ignor\$4) with (measur\$5 value	US-PGPUB; USPAT	OR	ON	2008/12/07 13:25

		character\$5 tim\$4 timestamp\$4 code))				
L17	29	("709"/\$ "707"/\$).ccls. and (measur\$5 with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp \$4 chang\$4 updat\$4) with (table list listing database)) same ((delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))	US-PGPUB; USPAT	OR	ON	2008/12/07 13:26
L18	75	(qos sla (quality adj2 service) (service adj3 level)) and ((monitor \$4 measur\$5) with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp \$4 chang\$4 updat\$4) with (table list listing database)) same ((delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))	US-PGPUB; USPAT	OR	ON	2008/12/07 13:29
L19	28	(qos sla (quality adj2 service) (service adj3 level)) and ((monitor \$4 measur\$5) with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with compar\$4 with	US-PGPUB; USPAT	OR	ON	2008/12/07 13:36

		(table list listing database)) same ((delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))				
I20	39	((monitor\$4 measur\$5) with performanc\$4 with (router parameter performanc\$4 server node device)) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with compar\$4 with (table list listing database)) same ((delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))	US-PGPUB; USPAT	OR	ON	2008/12/07 13:45
I21	11	I20 not I19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 13:47
I22	2	((monitor\$4 measur\$5) with (router parameter performanc\$4 server node device)) and ((measur\$5 value character\$5 tim\$4 timestamp\$4 code) with compar\$4 with (table list listing database)) same (unchang\$4 with (delet\$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))	US-PGPUB; USPAT	OR	ON	2008/12/07 13:54

L23	5	((measur\$5 value character\$5 tim\$4 timestamp\$4 code) with compar\$4 with (table list listing database)) same (unchang\$4 with (delet \$4 ignor\$4) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code))	US-PGPUB; USPAT	OR	ON	2008/12/07 13:55
L24	23	709/223-224.ccls. and (measur\$5 with performanc\$4 with (parameter performanc\$4 server node device)) and ((id identification address) with aggregat\$4) and ((sav\$4 stor\$5) with (measur\$5 value character\$5 tim\$4 timestamp\$4 code) with (tim\$5 timestamp \$4 chang\$4 updat\$4))	US-PGPUB; USPAT	OR	ON	2008/12/07 14:55
S1	2	"20050132031"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:09
S2	2	"20050132031" and (fingerprint\$4 (finger adj3 print\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:10
S3	5250	("713"/\$ "725"/\$ "709"/\$).ccls. and (fingerprint\$4 (finger adj3 print\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:44
S4	724	("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performanc\$4 server node device)) and (fingerprint\$4 (finger adj3 print\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:44

S5	128	("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performance \$4 server node device)) same (fingerprint\$4 (finger adj3 print\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:44
S6	184	("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performance \$4 server node device)) and (fingerprint\$4 (finger adj3 print\$4)) and aggregat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:45
S7	22	("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performance \$4 server node device)) and ((fingerprint\$4 (finger adj3 print\$4)) same aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 16:45
S8	8	("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performance \$4 server node device)) and (watermark\$4 same aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/05 17:26
S9	226	("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performance \$4 server node device)) and ((id identification) same aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 15:18
S10	114	("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performance \$4 server node device)) and ((id identification) with aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 15:19

S11	105	"709"/\$.ccls. and (measur\$4 with (parameter performanc \$4 server node device)) and ((id identification) with aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 15:19
S12	68	("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with (parameter performanc \$4 server node device)) and ((id identification) with aggregat\$4) and ((updat\$4 new) with (parameter measur\$5 performanc\$4 value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 15:21
S13	25	("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with environment) and ((id identification) with aggregat\$4) and ((updat\$4 new) with (parameter measur\$5 performanc\$4 value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 15:24
S14	7	("713"/\$ "725"/\$ "709"/\$).ccls. and (measur\$4 with environment) and (fingerprint\$4 with aggregat\$4) and ((updat\$4 new) with (parameter measur\$5 performanc\$4 value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 15:24
S15	116	(measur\$4 with (parameter performanc \$4 server node device)) and ((fingerprint\$4 (finger adj3 print\$4)) same aggregat\$4) not ("713"/\$ "725"/\$ "709"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:29

S16	54	(measur\$4 with (parameter performanc \$4 server node device)) and ((fingerprint\$4 (finger adj3 print\$4)) with aggregat\$4) not ("713"/\$ "725"/\$ "709"/\$).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:29
S17	162	(measur\$4 with performanc\$4 with (parameter performanc \$4 server node device)) and ((id identification address) with aggregat\$4) and ((send\$4 transmi\$5 forward\$4 transfer\$4) with aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:36
S18	49	"709"/\$.ccls. and (measur\$4 with performanc\$4 with (parameter performanc \$4 server node device)) and ((id identification address) with aggregat\$4) and ((send\$4 transmi\$5 forward\$4 transfer\$4) with aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:36
S20	3	"709"/\$.ccls. and (measur\$4 with performanc\$4 with environment) and ((id identification address) with aggregat\$4) and ((send\$4 transmi\$5 forward\$4 transfer\$4) with aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:39
S21	6	(measur\$4 with performanc\$4 with environment) and ((id identification address) with aggregat\$4) and ((send\$4 transmi\$5 forward\$4 transfer\$4) with aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:39
S22	9	(measur\$4 with performanc\$4 with environment) and ((id identification address) with aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:39

S23	107	"709"/\$.ccls. and (measur\$4 with performanc\$4 with (parameter performanc \$4 server node device)) and ((id identification address) with aggregat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:43
S24	85	"709"/\$.ccls. and (measur\$4 with performanc\$4 with (parameter performanc \$4 server node device)) and ((id identification address) with (aggregate aggregated aggregating))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 18:43

12/7/08 2:59:05 PM

C:\ Documents and Settings\ DEngland\ My Documents\ EAST\ Workspaces\ 10734532.wsp